

ELEVATION ROAD SIDE

FIXING: FIXING IN ACCORDANCE WITH I.S. 435-3, 2005, NOTES 13 AND 14 AND SECTION 4.4 OF I.S. 435-3, 2005 NOTES B: CHAINLINK MESH SHALL BE 1300mm WIDE, 50mm MESH MADE OF 2.25/3.15mm DIAM. PLASTIC COATED GALVANISED MILD MESH STEEL WIRE TO IS EN 10223-6.

- 1. FENCES SHALL BE CONSTRUCTED AND ERECTED IN ACCORDANCE
- SHALL START WITH A POST AND END WITH A POST. AN ADDITIONAL POST SHALL BE PROVIDED AT FENCE JUNCTIONS AND AT FENCE CORNERS.
- POST HOLES FALLING IN ROCK SHALL BE EXCAVATED TO THE DEPTH SHOWN ON THIS DRAWING OR, SUBJECT TO AGREEMENT WITH THE EMPLOYER'S REPRESENTATIVE, TO A DEPTH OF 500mm, AND SHALL BE BACKFILLED WITH MIX ST2 CONCRETE. WHERE A REDUCED DEPTH OF HOLE IS AGREED, THE TOP OF THE POST SHALL BE SUITABLY CUT AND TREATED IN ACCORDANCE WITH THE RECOMMENDATIONS OF I.S. 435: 2005.
- 4. FENCE POST AND RAIL SHALL BE TREATED WITH PRESERVATIVE IN ACCORDANCE WITH THE REQUIREMENTS OF CC-SPW-00300 AND APPENDIX B OF I.S. 435-1: 2005.
- 5. CONCRETE FOUNDATIONS TO POSTS SHALL BE PROVIDED WHERE STATED IN APPENDIX 3/1.
- 6. WHERE SIDELONG GROUND SLOPES DOWN TOWARDS THE FENCE AT A SLOPE GREATER THAN 1:4. THEN THE PERMANENT FENCING POST HEIGHT SHALL BE INCREASED BY A MINIMUM OF 250mm AND AN ADDITIONAL RAIL ADDED.

HIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS AND ALL OTHER RELEVANT

GL

Rev. No.	Date	Revision Notes	Dm. by	Chkd. by
				L
				<u></u> Ш
				—Ш
				ĻII
				— II
	1			Ļ— II
				— II
				<u> </u>
	I	I	1	י א



oyright Acknowledgements inclu Ordnance Survey Ireland data reproduced under OSi License Number 2023/OSi NMA 145

COMHAIRLE CHONTAE LONGFOIR

Longford County Council

GREAT WATER STREET LONGFORD Tel. (043) 46231

_							
RT	Client:	LONGFORD COL	NTY COUNCI	L			
	Project: BALLINALEE COMMUNITY PARK & CHILDREN'S PLAYGROUND FACILITY Project Address: BALLINALEE VILLAGE						
	Title: FENCING DETAILS						
	Drawing 1	Revision: 0					
	Scale:	NTS @ A4	Date:	03/11/2023	Status: PART VII		
J	Drawn by	: ΔK	Checked:	ΔDK	Approved: ADK		